

स्पीड पोस्ट/ Speed Post CSIR-NATIONAL PHYSICAL LABORATORY

सी.एस.आई.आर. राष्ट्रीय भौतिक प्रयोगशाला

Dr. K. S. Krishnan Marg, New Delhi-110 012

डा. के एस. कृष्णन मार्ग, नई दिल्ली - ११००१२

Contact: 011-4560-9290 Email:rakesh.mago@nplindia.org

Web: www.nplindia.org

To,

M/s Total Solution, C-923 1st Floor, Palam Extension Near Rampal Chowk, Sector-7 Dwarka, New Delhi 110075

Sir,

Quotation is invited on the behalf of the Director, CSIR-NPL for the purchase/repair of articles mentioned below. The bid must be submitted online only as per dates/times mentioned on the CPPP Portal. For processing convenience, a HARD COPY of the TECHNICAL BID ONLY including brochures/technical literature etc. should be sent through post. For the purpose of evaluation, BID SUBMITTED ONLINE ONLY ON CPPP PORTAL WILL BE USED.

Sr. No.	Description of material	Quantity
1.	Fluorescent display screen for FLUKE (DHI) PPCH-G high-Pressure gas controller	01

Note:

- 1. Fax/Email quotation will also be considered at the risk of the bidder.
- 2. The prices quotation should be up to NPL including freight & insurance charges GST may be mention separately. In addition no additional payment will be made except from its quoted price.
- 3. A price reasonability certificate may be submitted stating that you will not sell the quoted item to any other organization less than the quoted prices to NPL(as per Annexure III).
- 4. The rate of GST to be charged should be clearly mentioned in your quotation.
- 5. A Catalogue/Literature of the quoted model may be provided.
- **6.** PAC Certificate is stating that you are Sole manufacturer of the above mentioned item must be submitted along with quotation.
- 7. Installation: Required by the seller within 30 days after receipt of material. No separate charges towards installation shall be quoted.
- 8. Payment terms acceptable would be 100% through RTGS after receipt of material and its satisfactory installation.
- 9. In Case, the offer is submitted by the dealer of the manufacturer, proper authorization letter issued by OEM to quote on their behalf must be submitted along with offer.
- 10. Kindly submit Border Certificate and Code of Integrity Certificate along with your quotation (as per Annexure I & II).
- 11. Kindly provide recent order copies of previous PAC Orders to any CSIR/ Govt. organization.

Instructions

- 1. Please indicate the item serial numbers of our enquiry letter against the names of respective item quoted by you.
- Complete specifications of items should be given with the manufacturers name wherever required. Often of stores vaguely described are liable to be ignored. Literature/Pamphlets should also enclosed wherever necessary.

PLEASE ADDRESS THE COVER TO DIRECTOR DULY SUPERSCRIBED WITH OUR ENQUIRY NUMBER AND DUE DATE. QUOTATION WITHOUT ANY REFERENCE WILL NOT BE CONSIDERED.

Yours Faithfully, Section Officer (S&P)

CERTIFICATE

(On the Letter Head of the Bidder)

IT IS CERTIFIED THAT:

I HAVE READ THE ORDER/ CLAUSE NO. F. NO. 6/18/2019-PPD DATED 23^{RD} JULY,2020 REGARDING RESTRICTIONS ON PROCUREMENT FROM A BIDDER OF A COUNTRY WHICH SHARE A LAND BORDER WITH INDIA .

I AS A BIDDER DO NOT CONTRAVENE THE INSTRUCTIONS GIVEN IN THE ABOVE SAID ORDER.

SIGNATURE & SEAL OF THE FIRM

Format for declaration by the Bidder for Code of Integrity & conflict of interest (On the Letter Head of the Bidder)

Ref.No:	Date:
To,	
(Name & address of the Purchaser)	
Procurement as mentioned under Para no conflict of interest. The details of any previous transgress	dated
We undertake that we shall be liable contravention of this code.	for any punitive action in case of transgression/
Thanking you,	
Yours sincerely, Signature	
(Name of the Authorized Signatory Company)	

PRICE REASONABILITY CERTIFICATE

(On the Letter Head of the Bidder)

This	is	to	certify	that	the	prices	quoted	Vide	Quotation
No					_				
dated:against Tender No:da									
for									
(name	(of it	em)			are best a	nd minimum
any	custome						nose being c cution of Pur		CSIR-NPL to der.
Date	2:							Authoriz	ed Signatory
							Name:		
						[Designation:		